

Client: Aurora Peptides

Certified: 07/25/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	DSIP	Form	Lyophilized Powder
Batch	DSIP-072026-001	Labeled Qty	15 mg
Mol. Formula	C35H48N10O15	CAS Number	62568-57-4
Cap Color	Clear	Crimp Color	Blue

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.654%
Batch Avg Net Content	(~15mg)	15.66 mg
Identity Confirmation (LC-MS)	(DSIP)	DSIP
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.764	15.81
Vial 2	99.544	15.52
Batch Average	99.654%	15.66 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandival
Lab Director



koveralabs.com/verify

Report#: KVR-2026-2C3030
Access Code: PBK9Z1I